# Provider Update

January 25, 2022

DOH Deputy Secretary Laura C. Parajón, M.D., M.P.H Infectious Disease Bureau Chief Dan Burke NW Regional Health Officer Miranda Durham, M.D.

### NM DOH Mission

To ensure health equity, we work with our partners to promote health and well-being, and improve health outcomes for all people in New Mexico.

Goals



We expand equitable access to services for all New Mexicans



**We ensure safety** in New Mexico healthcare environments



We improve health status for all New Mexicans



We support each other by promoting an environment of mutual respect, trust, open communication, and needed resources for staff to serve New Mexicans and to grow and reach their professional goals






# **COVID-19 Overview**

IBM Watson Health / © 2021 IBM Corporation

### **COMMUNITY TRANSMISSION ACROSS THE USA**



#### Community Transmission in US by County

	Total	Percent	% Change
High	3215	99.78%	0.22%
Substantial	1	0.03%	-0.06%
Moderate	0	0%	096
Low	4	0.12%	-0.12%

How is community transmission calculated?

UNITED STATES LEVEL OF COMMUNITY
TRANSMISSION
High

7 DAY CASE RATE PER 100,000 1,511.4 7 DAY PERCENT POSITIVITY 26%

**CDC COVID Data Tracker** 

01/22/22

CDC | Data as of: January 22, 2022 2:21 PM ET. Posted: January 22, 2022 4:01 PM ET



Investing for tomorrow, delivering today.



#### Cases

DAILY NEW CASES


INFECTION RATE

POSITIVE TEST RATE

• 265.7 PER 100K


• 1.35

• 25.7%



Over the last week, New Mexico has averaged 5,571 new confirmed cases per day (265.7 for every 100,000 residents). About this data






https://www.covidactnow.org/?s=21051026



Investing for tomorrow, delivering today.



#### Cases



On average, each person in New Mexico with COVID is infecting 1.35 other people. As such, the total number of active cases in New Mexico is growing. About this data






As of 1/22/22

https://www.covidactnow.org/?s=21051026


### Omicron in NM - SGTF rate



Current 5-day average for SGTF is 91.8%









updated 1/20/22 - Tiberius and NMSIIS data

Investing for tomorrow, delivering today.





# NMDOH Updates

### **Updated policies: 5-day Isolation and Quarantine**



COVID-19 is a highly infectious and fast-spreading virus. Symptoms and their effects can range from mild to severe and in certain cases result in extreme health complications and death.



EN ESPAÑOL

### You've tested positive for COVID-19. Now what?

- Have you tested positive for COVID-19? Click Here
- Have you been in close contact with someone who has tested positive for COVID-19? Click Here
- Do you have COVID-19 Symptoms? Click Here





### NM DOH UPDATES

# POLICIES FOR THE PREVENTION AND CONTROL OF COVID-19 IN NEW MEXICO

January 25, 2022

Note: These policies are based on the best scientific information available as of the date above. Policies will be updated as new information becomes available.



#### **Quarantine Periods for COVID-19**

#### Quarantine if you have close contact with an infected person:

For Asymptomatic Close Contacts	Quarantine Period			
<ol> <li>Is boosted</li> <li>Is fully vaccinated but not yet eligible for booster</li> </ol>	No quarantine, wear a well-fitting mask around others for 10 days			
3. Not yet fully vaccinated				
<ol> <li>Completed mRNA series &gt;5 months ago or J&amp;J &gt;2 months ago</li> </ol>	Quarantine for 5 days, then wear a mask around others an additional 5 days			
5. Not vaccinated				
<ul><li>6. Student/Staff in T2S</li><li>7. Student/Staff in K-12 school</li></ul>	Students and staff in T2S must community quarantine for 5 days, then wear a mask for an additional 5 days.  If not in T2S, must fully quarantine for 5 days and wear a mask for an additional 5 days.			
<ol> <li>Resident in LTCF or assisted living facility</li> </ol>	10 days and a second and a second and a second asset at			
9. Hospital inpatient	10 day quarantine required even if vaccinated			
10. NM Correctional Dept inmates				
<ol> <li>Resident other residential congregate care facility (i.e. shelter, jail, group home)</li> </ol>	10 day quarantine recommended even if vaccinated			
12. Health Care Workers	Interim Guidance for Managing Healthcare Personnel with SARS-CoV-2 Infection or Exposure to SARS-CoV-2   CDC			

If you become symptomatic you must immediately isolate and get tested. A negative COVID-19 test should not be used to end quarantine early.



EPI-COVID19-Containment-Policies-1.13.2022.pdf (nmhealth.org)

### Vaccine Updates

### Pfizer announced today:

- Initiation of a clinical study to evaluate the safety, tolerability and immunogenicity of an Omicron-based vaccine candidate in healthy adults 18 through 55 years of age.
- The study will have three cohorts examining different regimens of the current Pfizer-BioNTech COVID-19 vaccine or an Omicron-based vaccine.
- The study will draw upon some participants from the companies' Phase 3 COVID-19 booster study.



### **Vaccine Updates**

- Boosters are now due for the first immune compromised people to get the additional primary dose (Aug 13)
- "Up to date" means a person has received all recommended COVID-19 vaccines, including any booster dose(s) when eligible.
- Fully vaccinated means a person has received their primary series
   COVID-19 vaccines
- Pfizer for kids 6 months 4 year olds

https://www.cdc.gov/coronavirus/2019-ncov/vaccines/stay-up-to-date.html



### **VAXVIEW NM**

https://nmsiis.health.state.nm.us/webiznet\_n m\_public/Application/PublicPortal

#### COVID-19 Vaccination Record

Please keep this record card, which includes medical information about the vaccines you have received.


Por favor, guarde esta tarjeta de registro, que incluye información médica sobre las vacunas que ha recibido.



SIMPSON	BART	M				
Last Name	First Name		Middle Name Generation			
01/01/1999	2890971					
Date of birth	Patient num	per (medical record or IIS record number)				
Vaccine	Product Name / Manufacturer Lot Number	Date	Administering Clinic			
1st Dose COVID-19	COVID-19 mRNA (MOD)	08/01/2021	LAS ESTANCIAS CLINIC/SWA (SMALE5873)			
2nd Dose COVID-19	COVID-19 mRNA (MOD)  021J11A	09/01/2021	LAS ESTANCIAS CLINIC/SWA (SMALE5873)			








- This SMART Health Card is a Digital COVID-19 Vaccination Record (https://smarthealth.cards/)
- Keep a copy or share this with a trusted organization by letting them scan the 2D barcode (QR code) on your paper or phone screen
- Downloaded/Printed on 1/11/2022 at 11:42:48AM
- You may not misuse, modify, alter, amend or remove any of the content on this card. Misuse of this card in any way is expressly prohibited and may constitute a criminal offense punishable by imprisonment.

SMART™ and the SMART logos are trademarks of The Children's Medical Center Corporation. Used with permission.




# Continued gap for race/ethnicity for % completing vaccine series for 5 and older



# Continued gap in race/ethnicity for 5-11 year old doses







- American Indian or Alaska Native - Black or African American - White - Asian or Pacific Islander - Hispanic or Latino



# **Testing Updates**


### **Testing Options in New Mexico**

- NM COVID-19 Test Site Directory: FindaTestNM.org
- **Symptomatic Testing**: If you have symptoms of COVID, you can find PCR testing at pharmacies, Vault, Curative, local hospitals, public health offices, clinics
- Screening/Surveillance testing: If your employer requires screening testing, and you are an employee not up to date on vaccines: Rapid Ag testing is recommended
- Close Contact/Exposure Testing: If possible, purchase rapid antigen home test at pharmacies; if you have insurance, that should cover cost of rapid antigen home testing;
- Federal Program; Find them for free through covidtests.gov, and select locations in counties











### FEDERAL PROGRAM has launched

**COVIDtests.gov** 

English

spañol

简体中文


# **Get free at-home COVID-19 tests**

Every home in the U.S. is eligible to order 4 free at-home COVID-19 tests. The tests are completely free. Orders will usually ship in 7-12 days.

Order your tests now so you have them when you need them.

**Order Free At-Home Tests** 

If you need a COVID-19 test now, please see <u>other testing</u> <u>resources</u> for free testing locations in your area.



NMDOH COVID Hotline can help people sign up: 1-855-600-3453

Investing for tomorrow, delivering today.

### Increased Community Access to Testing (ICATT)

ICATT (Increasing Community Access to Testing) SITES					
Location	EXPO NM	Santa Fe Fair Grounds	LCPS Field of Dreams West parking lot	Lea County Event Center	
Region	NW	NE	sw	SE	
Site POC Name	Jared Rounsville	Jessica Yocca	Dawn Sanchez	Jimmy Masters	
Site POC Phone	505- 490 -0991	505-231-4018	575-449-5766	575-626-0531	
Site Physical	EXPO NM	Santa Fe Fair Grounds	LCPS Field of Dreams, West	Lea County Event Center (Hobbs)	
Location			parking lot	5	
Soft launch date	2/1/2022	2/1/2022	2/1/2022	2/1/2022	
Full launch date	2/2/2022	2/2/2022	2/2/2022	2/2/2022	
Days of Operation	M - Sat	M - Sun			
Hours	8a - 4p	9a - 6p			
Capacity	1000 tests/day	1000 tests/day	1000 tests/day		



# Home test program

Goal: distribute 1 Million tests every 2 weeks

#### PLAN:

- first 1 million tests distributed to high SVI zip codes
- next 1 million tests to be distributed to counties pro-rata
- Home test page: <u>Self Test Overview | NMDOH Coronavirus Updates (nmhealth.org)</u>





### **Bulletin from San Juan County**



#### Distribution to over 40 locations:

- Share in several locations in the city
- Sobering centers
- Various shelters
- Cancer center
- Non-profit working with people with special needs
- Bloomfield fire/police







# Project ACT (Access Covid Tests)

# In partnership with Rockefeller Foundation

- Tentative implementation date
  - 1/28/22
- High SVI Communities
- Mail order program for home test kits
- 175,000 tests (distributed in packs of 5)





# Therapeutics Update

<u>Information for Providers | NMDOH - Coronavirus Updates (nmhealth.org)</u>




# HAN Health Advisory Network

New Mexico Health Alert Network: To register for the New Mexico Health Alert Network, click the following link to go directly to the HAN registration page <a href="https://nm.readyop.com/fs/4cjZ/10b2">https://nm.readyop.com/fs/4cjZ/10b2</a> Please provide all information requested to begin receiving important health alerts and advisories.

# NM Health Alert Network (HAN)

- Platform for rapid dissemination of important public health information
- Sign up for receiving Health Alerts directly to your email
- <a href="https://nm.readyop.com/fs/4cjZ/10b2">https://nm.readyop.com/fs/4cjZ/10b2</a>





### NM Health Alert Network (HAN)

Home » NM Health Alert Network (HAN)

#### NM Health Alert Network (HAN)

The NM Health Alert Network (HAN) is the NMDOH's communications platform that allows for rapid dissemination of important public health information to our key healthcare partners and emergency response personnel, on a 24/7/365 basis.

To receive health alerts directly to your email, sign up for the Health Alert Network (HAN)

https://nm.readyop.com/fs/4cjZ/10b2

#### Latest News from NMDOH Health Alert Network:


- 1.24.2022 Requirements on Electronic Death Certifications
- 1.14.2022 HAN Update on Enforcement of Being Up to Date on Vaccine
- 1.10.2022 HAN Updated Moderna Booster Guidance
- 1.7.22 Update on Omicron and COVID-19 Therapeutics
- 1.6.22 HAN COVID19 Pfizer
- 12-17-21 CDC-HAN-00438 Increase in Fatal Drug Overdoses Across the US Drvien by Synthetic Opioids Before and During COVID-19 Pandemic
- 12.16.21 HAN Shigella in metro homeless
- 12.9.2021 HAN\_ COVID19 Boosters For Children 16-17
- 12.8.2021 HAN Evusheld COVID-19
- 12.1.2021 CDC\_HAN\_459 Variant of Concern Identified-Omicron
- 9.10.21 HAN Ivermectin Toxicity

https://cv.nmhealth.org/health-alert-network/



Investing for tomorrow, delivering today.


### **COVID Oral Therapeutic Utilization**







#### MAB USAGE BY WEEK





# COVID-19 Therapeutics: Oral Antiviral & Monoclonal Antibody Screening Score (OMASS) Update

### **Update to OMASS Score**

adapted from Mayo Clinic's published Monoclonal Antibody Screening Score (MASS)

RISK FACTOR	POINTS
Age 65 years and older	2
BMI 35 kg/m2 and higher	2
Diabetes mellitus	2
Chronic kidney disease	3
Cardiovascular disease in a patient 55 years and older	2
Chronic respiratory disease in a patient 55 years and older	3
Hypertension in a patient 55 years and older	1
Immunosuppressed and unlikely to have responded to vaccines (eg: CD20 inhibitors, BTK inhibitors, campath, recent CAR-T, organ transplant)	3
Pregnancy*,7	4
BIPOC (Black, Indigenous, People of Color) status8	1
Any other underlying medical condition associated with high risk for severe COVID-19 disease according to the CDC <a href="https://www.cdc.gov/coronavirus/2019-ncov/hcp/clinical-care/underlyingconditions.html">https://www.cdc.gov/coronavirus/2019-ncov/hcp/clinical-care/underlyingconditions.html</a>	1

<sup>\*</sup>Molnupiravir is not recommended for use in pregnancy.

# Update: COVID19 Therapeutic Patient Eligibility Criteria

Therapeutic	Reduction In hospitalization & death	Route	Treatment Initiation from Symptom Onset	Treatment Duration	Weekly Supply (Week 1/24)	OMASS Score Requirement	Preference
Paxlovid	88% <sup>1</sup>	Oral	Within 5 days	5 days	260 courses	Score 3+	1 <sup>st</sup> Tier
Remdesivir	87%²	IV	Within 7 days	3 days (1-2 hr)	Commercially Available	Score 3+	1 <sup>st</sup> Tier
Sotrovimab	85% <sup>3</sup>	IV	Within 10 days	30 minutes	240 courses	Score 3+	2nd Tier Reserve use for those whom:  Paxlovid & Remdesivir are contraindicated or unavailable  Outside treatment window for Paxlovid & Remdesivir
Molnupiravir	30% <sup>4</sup>	Oral	Within 5 days	5 days	1030 courses	Score 1+	3 <sup>rd</sup> Tier  Utilize only if all other treatment options are unavailable

### **Prescribing Oral Therapeutics**

- Include on prescription: date of symptom onset and OMASS score
- OMASS of 3 needed for prescription of Paxlovid and Sotrovimab
- OMASS of 1 for Molnupiravir
- Check for any drug interactions
- Prescription goes to:

933 San Mateo Blvd NE Suite 501, Albuquerque, NM 87108

> Phone: 505-313-8080 Fax: 505-313-8082

# FDA Fact sheet for Patients, parents, and caregivers

Fact Sheet for Patients And Caregivers
Emergency Use Authorization (EUA) Of Molnupiravir For Coronavirus Disease 2019
(COVID-19)

What is the most important information I should know about molnupiravir? Molnupiravir may cause serious side effects, including:

- Molnupiravir may cause harm to your unborn baby. It is not known if molnupiravir will harm your baby if you take molnupiravir during pregnancy.
  - o Molnupiravir is not recommended for use in pregnancy.
  - Molnupiravir has not been studied in pregnancy. Molnupiravir was studied in pregnant animals only. When molnupiravir was given to pregnant animals, molnupiravir caused harm to their unborn babies.
  - You and your healthcare provider may decide that you should take molnupiravir during pregnancy if there are no other COVID-19 treatment options authorized by the FDA that are accessible or clinically appropriate for you.
  - If you and your healthcare provider decide that you should take molnupiravir during pregnancy, you and your healthcare provider should discuss the known and potential benefits and the potential risks of taking molnupiravir during pregnancy.

https://www.fda.gov/media/155055/ download?ftag=MSF0951a18



### REMDESIVIR

- Recently FDA approved for outpatient treatment.
- FDA approval facilitates reimbursement
- Removes the manufacturer limit to hospitals
- Outpatient providers can now order and set up Remdesivir clinics.
- Given IV daily infusion for 3 days



### Participating Pharmacies

- Due to very limited supply, there will be one pharmacy partner initially, Walgreens.
- Patients will have their prescriptions overnighted to their home. A few locations in the state will have in-store inventory available for same-day pick up.
- For a current list of participating pharmacies, check <a href="https://cv.nmhealth.org/providers/covid-19-oral-therapeutics-information-for-providers/">https://cv.nmhealth.org/providers/covid-19-oral-therapeutics-information-for-providers/</a>



Prescriptions should be sent to:

933 San Mateo Blvd NE Suite 501, Albuquerque, NM 87108

Monday thru Friday from 8:30am to 5:pm

(Weekend Prescriptions Friday 4pm thru Monday 8am need to be sent to a location with store supplies. Please see the table below.)

Phone: 505-313-8080 Fax: 505-313-8082

Prescriptions will be sent via overnight mail across the state directly to the patient's home or an approved alternate pick up location.

Prescribers should note the date of symptom onset on the prescription. This information is critical for pharmacists to ensure the patient receives their prescription within the treatment window.

\*\*\* If you are picking up a prescription, please use drive thru to protect pharmacy staff. \*\*\*

Initial locations with In-store supplies of Paxlovid:

Name	Address	Paxlovid	Contact Info
WALGREENS 6587	9700 MENAUL BLVD NE, ALBUQUERQUE, NM 87112	In Stock	P: (505) 299 - 9541
Community, A Walgreens Pharmacy (#16544)	933 SAN MATEO BLVD NE, SUITE 501, ALBUQUERQUE, NM 87108	In Stock	P: (505) 313 - 8080
WALGREENS 4510	4221 E MAIN ST, FARMINGTON, NM 87402	In Stock	P: (505) 325 - 1749
WALGREENS 11458	3990 E LOHMAN AVE, LAS CRUCES, NM 88011	Out Of Stock	P: (575) 522 - 1457

#### Initial locations with In-store supplies of Molnupiravir:

Name	Address	Molnupravir	Contact Info
WALGREENS 6587	9700 MENAUL BLVD NE, ALBUQUERQUE, NM 87112	In Stock	P: (505) 299 - 9541
Community, A Walgreens Pharmacy (#16544)	933 SAN MATEO BLVD NE, SUITE 501, ALBUQUERQUE, NM 87108	In Stock	P: (505) 313 - 8080

## Billing

- The medication is paid for by the federal government.
- The pharmacy will bill the dispensing fees to patient's insurance. However, patients who are uninsured will not be turned away.
- Uninsured and underinsured patients may have their fees billed through the HRSA COVID-19 Cares Program or the HRSA COVID-19 Coverage Assistance Fund. For more information, please visit <a href="https://hrsa.gov/coviduninsuredclaim">hrsa.gov/coviduninsuredclaim</a>





### 5-Day Quarantine and Isolation Guidelines

CDC COVID-19 Quarantine and Isolation Guidelines

# If you have symptoms of COVID Don't wait, isolate





# If have Symptoms and No Test is Available: Stay Home for 5 Days, Wear a Mask for 5 Days

**Day 0** = Day you Start with Symptoms



# If You Test Positive for COVID: Stay Home for 5 Days, Wear a Mask for 5 Days


Stay Home for Five Days Day 1 Day 2 Day 3 Day 4 Day 5 Day 0 = Day you Test Positive Wear a mask around others for 5 more days Day 6 Day 7 Day 8 Day 9 **Day 10** 

# If you have been in contact\* with someone who is COVID Positive

#### And you are NOT up to date on Vaccine

- Not vaccinated
- Received Pfizer and Moderna more than 5 months ago or J and J more than 2 months ago
- Not Boosted

**Day O** = Day you Were Exposed



#### And you are Up To Date on Vaccine

- Received booster
- Received Pfizer and Moderna less than 5 months ago or J and J less than 2 months ago

Wear Mask Around Others for 10 Days				
Day 1	Day 2	Day 3	Day 4	Day 5
Day 6	Day 7	Day 8	Day 9	Day 10

<sup>\*</sup>You are considered a Contact if you were less than six feet from someone with COVID+ for a cumulative total of 15 minutes or more over a 24-hour period even if you were wearing a mask

# How to prevent the spread of COVID-19 at home if you test positive...









- Stay in a specific room away from other people in your home
  - Wear face mask if you don't have another room
- Cover your cough and sneezes
- Wash your hands often with soap And water for at least 20 seconds or use hand sanitizer
- Clean all surfaces that are touched often, like counters, tabletops, and doorknobs
  - Use household cleaning spray or wipes according to the lab instructions







- Monitor your symptoms carefully
  - If your symptoms get worse, call your healthcare provider immediately
- Get rest and stay hydrated
- Avoid sharing personal items with other people in your household, like dishes, towels, and bedding
- Do not EAT with others since you will be unmasked

# If you are sick, you should seek health care...



If you have a medical appointment, call the healthcare provider ahead of time and tell them that you have COVID-19.



For medical emergencies, call 911 and **notify the dispatch personnel** that you have COVID-19.





# Sign up for <u>nmnotify.org</u> phone app to report your positive results and help stop the spread of COVID

# Help stop the spread of COVID: Sign up for nmnotify.org


- Enable the app on your smart phone: apple phone and google play
- 2. **Contact Exposures:** Once registered, you will receive text notifications if you have come into contact with someone who is positive for COVID.
- 3. **Report your positives**: If you are positive for COVID you can report your positivity on the app, and people you have come into close contact with will be notified they may have come into contact with an individual who is positive.





## App is anonymous

- The app is anonymous. You will not know who you may have come into contact with who is positive, and they will not know who you are.
- The information is gathered from bluetooth data on your phone. No personal information is collected or shared
- App does not use GPS or location services that would identify your location or your movement





# Another tool to help stop the spread for our community

• By reporting your positivity, you help your family, friends, colleagues and community take steps to test themselves and stop the spread.





### OPTIONAL REPORTING OF HOME TESTING

https://covid-positive-home-test.doh.nm.gov/

#### **Self-Reporting Webform**

English

Please report your positive home-based or self-administered COVID-19 test result to the New Mexico Department of Health here. You will need to give us personal details such as your name, date of birth, and address. You will also be asked a few additional questions about your health. Resource links are provided below. If you need help or have a question, call the COVID-19 hotline at 1-855-600-3453.

A home-based or self-administered COVID-19 test is a rapid test that you usually do yourself, and in your home. You should see for yourself the test result. Home/self COVID-19 tests always provide results in less than one hour, usually about 15 minutes.

These tests may have come from the postal service through www.COVIDtest.gov or were bought from pharmacies or online stores.

This portal is for home/self-kit COVID-19 POSITIVE test result reporting only. Do not report COVID-19 results from tests that were sent to a lab. Lab COVID tests include any swab collected at a medical clinic, CVS, Walgreens, other COVID testing center; or any test of your saliva sent to a lab for testing.

New Mexico Department of Health (NMDOH) will keep your information private.





# Guide to Mask Wearing MORE TO COME....

### What type of mask should I wear?

- Wear the highest quality mask that you can tolerate
- The mask should fit well
- You should be able to wear the mask consistently
- Always wear your mask around others\*

#### Levels of Protection for Masks: From lowest to highest protection



\*Helpful tip: people often wear their mask during the day, but then take off their mask to eat around others; during lunch hour, eat on your own, or eat outside; people often get COVID during mealtimes with others

More information from CDC on Guidance for Masks:

Your Guide to Masks; Use Masks to Slow the Spread of COVID-19

### Know what kind of masks to use

Link to More information from CDC about:

Types of Masks and Respirators:

Fit is most important: <u>Check that mask</u> <u>fits</u> snugly over your nose, mouth, and chin.

- Check for gaps by cupping your hands around the outside edges of the mask.
- Make sure no air is flowing from the area near your eyes or from the sides of the mask.
- If the mask has a good fit, you will feel warm air come through the front of the mask and may be able to see the mask material move in and out with each breath.

#### Masks that Meet a Standard

Some masks are designed and tested to ensure they perform at a consistent level. These masks are labeled to tell you what standard they meet. These masks are labeled:

- MEETS ASTM F3502 ☐
- MEETS WORKPLACE PERFORMANCE
- MEETS WORKPLACE PERFORMANCE PLUS

These are new standards. Lists of masks that meet these standards and more information on their availability can be found on the <u>NIOSH Personal Protective Equipment Information (PPE-Info) webpage</u>. These masks have markings printed on the product to indicate they are authentic.


Follow manufacturer's instructions on how to wear, store, and clean or properly dispose of the mask. These should be worn according to the manufacturer's instructions without modifications.

#### Wear masks that meet a standard with

- A proper fit over your nose and mouth to prevent leaks
- Multiple layers of non-woven material
- A nose wire

#### Do NOT wear masks that meet a standard

- If it is hard to breathe while wearing them
- If they are wet or dirty
- With other masks or respirators
- As a replacement for NIOSH-approved <u>respiratory protection when</u> required by your job





### **DOH Contact Information for Providers**

CONTACT INFO	DESCRIPTION
COVID.Vaccines@state.nm.us	COVID-19 Vaccine Record requests; Provider COVID-19 Vaccine Order status; NMSIIS assistance.
COVID.Therapeutics@state.nm.us	Provider questions regarding COVID oral therapeutics (Molnupiravir and Paxlovid); COVID PrEP (Evusheld); mAB; or Remdesivir
COVIDData.compliant@state.nm.us	COVID-19 vaccine storage and handling questions, temperature log and onboarding Vaccine Plan submissions.
COVID.testing-doh@state.nm.us	For Provider questions on testing and test supplies



### **DOH Contact Information for Patients**

CONTACT INFO	DESCRIPTION
COVID-19 Hotline: 1-855-600-3453	Users who have questions or would like support with vaccine registration and testing
ALTSD assistance: 1-800-432-2080	For seniors and those with disabilities who need support with vaccine registration and scheduling.
1-833-551-0518	For non-health related COVID-19 questions





### THANK YOU!

Denver, CO